

LITERATURE CITED

1

- Abegglen, C. E., A. Y. Roppel, and F. Wilke. 1958. Alaska fur seal investigations,k Pribilof Island, Alaska. Report of U. S. Fish and Wildlife Service Bureau Commercial Fisheries, Seattle WA 187 pp.
- Allee, W. C., A. E. Emerson, O. Park, T. Park, and K. P. Schmidt. 1949. Principles of Animal Ecology. W. B. Saunders Co., Philadelphia and London.
- Alvarez-Bulla, E. R. and M. Slatkin. 1991. Finding confidence limits on population growth rates. *Trends in Ecology and Evolution*: 6:221-224.
- Alvarez-Bulla, E. R. and M. Slatkin. 1993. Finding confidence limits on population growth rates: Monte Carlo test of a simple analytic method. *Oikos* 68:273-282.
- Anderson, D. R. and R. S. Posphala. 1970. Correction of bias in belt transect studies of immotile objects. *Journal of Wildlife Management* 34:141-146,
- Anderson, D. R., Burnham, K. P. and B. R. Crain. 1978. A log-linear model approach to estimation of population size using the line-transect sampling method. *Ecology* 59:190-193.
- Anderson, D.R., A.P. Wywialowski, and K.P. Burnham. 1981. Tests of the assumptions underlying life table methods for estimating parameters from cohort data. *Ecology* 62:1122-1124.
- Anderson-Sprecher, R. 1994. Model comparisons and R^2 . *The American Statistician* 48:113-117.
- Andrewartha, H. G. and L. C. Birch. 1954. The distribution and abundance of animals. University of Chicago Press, Chicago, IL.
- Bailey, N. T. J. 1951. On estimating the size of mobile populations from recapture data. *Biometrika* 38:293-306
- Bailey, N. T. J. 1952. Improvements in the interpretation of recapture data. *Journal of Animal Ecology* 21:120-127.
- Ballard, W. B., J. S. Whitman, and C. L. Gardner. (1987). Ecology of an exploited wolf population in South-central Alaska. *Wildlife Monographs* No. 98.
- Bart, J. and D.S. Robson. 1982. Estimating survivorship when the subjects are visited periodically. *Ecology* 63:1078-1090.
- Berger, J. 1986. Wild horses of the Great Basin. Univ. Chicago Press, IL 326 pp.
- Berkson, J. 1957. Tables for the maximum likelihood estimate of the logistic function. *Biometrics* 13:28-34.
- Beverton, R. J. H. and S. J. Holt. On the dynamics of exploited fish populations. *Fisheries Investigations, Ministry of Agriculture, Fisheries and Food (G.B.)*. Series II Salmon and Freshwater fish. 19:533pp.

- Birch, L. C. 1948. The intrinsic rate of natural increase of an insect population. *Journal of Animal Ecology* 17:15-26.
- Bonner, W. N. 1975. Population increase of gray seals at the Farne Islands. *Rapports P.-v. Conseil int. Explor. Mer.* 169:366-370.
- Boyd, J.M. 1974. Introduction. pp.1-7 *in Island Survivors: the Ecology of the Soay Sheep of St. Kilda*. P. A. Jewell, C. Milner, and J. M. Boyd, *Editors*. Athlone Press, University of London, London, U. K.
- Boyce, M. S. 1992. Population viability analysis. *Annual Reviews Ecology and Systematics* 23:481-506.
- Boyd, J. M. (1974) Introduction. *in Island Survivors: The Ecology of the Soay Sheep of St. Kilda*. (Eds. P. A. Jewell, C. Milner, and J. M. Boyd) pp. 1-7. The Athalone Press, University of London, London, England
- Breiwick, J. M. 1994. Rate of increase of the California gray whale. Document SC/46/AS18 submitted to Scientific Committee of the International Whaling Commission at the 46th meeting, Puerto Vallarta, Mexico, 6 pp.
- Breiwick, J.M., L.L.Eberhardt, and H.W.Braham. 1984. Population dynamics of Western Arctic bowhead whales. *Canadian Journal of Fisheries and Aquatic Sciences*. 41:484-496.
- Brownie, C., D.R. Anderson, K.P. Burnham, and D.S. Robson. 1978. Statistical inference from band recovery data: a handbook. U.S. Department of the Interior, Fish and Wildlife Service Resource Publication 131. 212pp.
- Brownie, C., J.E. Hines, and J.D.Nichols. 1986. Constant-parameter capture-recapture models. *Biometrics* 42:561-574.
- Buckland, S. T., J. M. Breiwick, K. L. Cattanach, and J. L. Laake. 1993. Estimated population size of the California gray whale. *Marine Mammal Science* 9:235-249.
- Buckland, S. T., K. P. Burnham, and N. H. Augustin. 1997. Model selection: an integral part of inference. *Biometrics* 53:603-618.
- Bulmer, M G. 1975. The statistical analysis of density dependence. *Biometrics* 31:901-911.
- Burnham, K. P. and D. R. Anderson. 1976. Mathematical models for nonparametric inferences from line transect data. *Biometrics* 32:325-326.
- Burnham, K.P. and D.R. Anderson. 1979. The composite dynamic method as evidence for age-specific waterfowl mortality. *J. Wildl. Manage.* 43:356-366.
- Burnham, K.P., D.R. Anderson, and J.L. Laake. 1980. Estimating density from line transect sampling of biological populations. *Wildlife Monographs* 72:1-202.

- Burnham, K.P. and D.R. Anderson. 1996. Data-based selection of an appropriate biological model: the key to modern data analysis. pp. 16-30 in Wildlife 2001: Populations. D. R. McCullough and R. H. Barrett, Eds. Elsevier Applied Science, London and New York.
- Burnham, K. P. and D. R. Anderson. (1998) Model selection and inference. Springer-Verlag, New York.
- Carbyn, L. N., S. M. Oosenburg, and D. W. Anions. 1993. Wolves, bison, and the dynamics related to the Peace-Athabasca delta in Canada's Wood Buffalo National Park. Circumpolar Resarch Series No. 4, Canadian Circumpolar Institue, University of Alberta, Edmonton, Alberta
- Caswell, H. 1989. Matrix population models. Sinauer Assoc., Sunderland, Mass.
- Caswell, H. 2001. Matrix population models. Second Edition. Sinauer Assoc., Sunderland, Mass
- Carbyn, L. N., S. M. Oosenburg, and D. W. Anions. (1993) *Wolves, bison, and the dynamics related to the Peace-Athabasca Delta in Canada's Wood Buffalo National Park*. Circumpolar Research Series No. 4, Canadian Circumpolar Institute, University of Alberta, Edmonton, Alberta, Canada.
- Carney, S. M. and G. A. Petrides. 1957. Analysis of variation among pheasant cock-crowing participants. Journal of Wildlife Management 21:393
- Caughley, G. 1974. Bias in aerial survey. Journal of Wildlife Management 38:921-923.
- Caughley, G. 1976. Wildlife management and the dynamics of ungulate populations. Pp. 183-246 in Applied Biology, Vol I, T.H. Croaker, Ed. Academic Press, London
- Caughley, G. 1977. Analysis of vertebrate populations. J. Wiley, London.
- Caughley, G. 1994. Directions in conservation biology. Journal of Animal Ecology 63:215-244.
- Caughley, G. and J.H. Lawton. 1981. Plant-herbivore systems. pp. 132-166 in Theoretical Ecology, R.M. May, Ed. (Second Edition) Sinauer, Sunderland Mass.
- Caughley, G., R. Sinclair, and D. Scott-Kemmis. 1976. Experiements in aerial survey. Journal of Wildlife Management 40:290-300.
- Chapman, D. G. 1948 . A mathematical study of confidence limits of salmon populations calculated from sample tag ratios. International Pacific Salmon Fisheries Commission. Bulletin 2:69-85.
- Chapman, D. G. 1952. Inverse multiple and sequential sample censuses. Biometrics 8:286-306.
- Chapman, D. G. 1954. The estimation of biological populations. Annals Mathematical Statistics 25:1-15.

Chapman, D.G. and D.S. Robson. 1960. The analysis of a catch curve. Biometrics 16:354-368.

Chapman, D. G. and A. M. Johnson. 1968. Estimation of fur seal pup populations by randomized sampling. Transactions American Fisheries Society 97:264-270.

Christian, J. J. and D. E. Davis. 1964. Endocrines, behavior, and population. Science 146:1550-1560.

Cleveland, W. S. 1979. Robust locally-weighted regression and smoothing scatterplots. J. Amer. Statist. Assoc. 74:829-836

Clutton-Brock, T. H., F. E. Guiness, and S. D. Albon. 1982. Bred deer: behavior and ecology of two sexes. University of Chicago Press, Chicago, Illinois.

Clutton-Brock, T. H. , O. F. Price, S. D. Albon, and P. A. Jewell. (1991). Persistent instability and population regulation in Soay sheep. *Journal of Animal Ecology* 60:593-608.

Cochran, W.G. 1977. Sampling techniques. (Third Edition) J.Wiley and Sons, New York.

Cochran, W. G. 1983. Planning and Analysis of Observational Studies. John Wiley and Sons.

Cole, L.C. 1954. The population consequences of life history phenomena. Quarterly Review of Biology 29:103-137.

Cole, G. C. 1983. A naturally regulated elk population. Pages 62-81, in F. L. Bunnell, D. S. Eastman, and J. M. Peek, eds., Symp. on natural regulation of wildlife populations. Univ. Idaho, Moscow, Idaho.

Cormack, R. M. 1966. A test for equal catchability. Biometrics 22:330-342.

Cormack, R. M. 1968. The statistics of capture-recapture methods. Oceanographic Marine Biology Annual Review 6:455-506.

Cox, D. R. 1969. Some sampling problems in technology. In: N. L. Johnson and H. Smith, Jr. (Eds.) New developments in Survey Sampling. 506-507. Wiley-Interscience, Wiley, New York.

Cox, D. R. 1972. Regression model and life tables. Jour. Royal Stat. Soc. B34,187-220.

Craighead, J. J., F. C. Craighead, Jr., R. L. Ruff, and B. W. O'Gara. 1973. Home ranges and activity patterns of nonmigratory elk of the Madison drainage herd as determined by biotelemetry. Wildl. Mono. No. 33.

Craighead, J.J., J.R. Varney, and F. C. Craighead, Jr. 1974. A population analysis of the Yellowstone grizzly bears. Bull. 40, Montana Forest and Conservation Experiment Station, Univ. of Montana, Missoula MT

Crain, B. R., K. P. Burnham, D. R. Anderson, and J. L. Laake. 1978. A Fourier Series Estimator of Population Density for Line Transect Sampling. Utah State University Press. 5

Dale, B.W., L.G. Adams, and R.T. Bowyer. 1994. Functional response of wolves preying on barren-ground caribou. *J. Anim. Ecol.* 63:644-652.

Darroch, J. N. 1958. The multiple-recapture census, I. Estimation of a closed population. *Biometrika* 45:343-359.

Darroch, J. N. 1959. The multiple-recapture census, II. Estimation when there is immigration or death. *Biometrika* 46:336-351.

David, J. F. 1995. Note on the use of the basic equation of demography. *Oikos* 73:285-288

Deevey, E.S., Jr. 1947. Life tables for natural populations of animals. *Quarterly Review of Biology* 22:283-314.

DelGiudice, G. D., R. O. Peterson, and W. M. Samuel. 1997. Trends of winter nutritional restriction, ticks, and numbers of moose on Isle Royale. *J. Wildl. Manage.* 61:895-903.

DeLury, D. B. 1947. On the estimation of biological populations. *Biometrics* 3:145-167.

DeLury, D. B. 1951. On the planning of experiments for the estimation of fish populations. *Journal Fisheries Research Board of Canada*. 8:281-307.

DeMaster, D.B., M.C.S. Kinglsey, and I. Stirling. 1980. A multiple mark and recapture estimate applied to polar bears. *Canadian Journal of Zoology* 58:633-638.

DeMaster, D.B., D. J. Miller, D. Goodman, R. L. DeLong, and B. S. Stewart. 1982 Assessment of California sea lion fishery interactions. *Transactions 47th North American Wildlife Conference*, pp. 253-264

Dennis, B., P. L. Munholland, and J. M. Scott. 1991. Estimation of growth and extinction parameters for endangered species. *Ecological Monographs* 61:115-143.

Dennis, B., and M. L. Taper. 1994. Density dependence in time series observations of natural populations: estimation and testing. *Ecological Monographs* 64:205-224.

Despain, D. G. 1990. Yellowstone vegetation. Roberts Rhinehart Publishers, Boulder, Colorado.

Despain, D. G., A. Rodman, P. Schullery and H. Shovic. 1989. Burned area survey of Yellowstone National Park: the fires of 1988. Unpublished report, Division of Research and Geographic Information Systems Laboratory, Yellowstone National Park, Wyoming.

- Devries, P. G. 1974. Multistage line intersect sampling. *Forest Science* 20:129-133,
- Dice, L. R. 1941. Methods for estimating populations of mammals. *Journal of Wildlife Management* 5:398-407.
- Doak, D. F. and L. S. Mills. 1994. A useful role for theory in conservation. *Ecology* 75:615-626.
- Doi, T. Further development of whale sighting theory. In W. E. Schevill (Ed.) *The Whale Problem: A Status Report*:359-368. Harvard University Press, Cambridge Mass.
- Draper, N. R. and H. Smith. 1998. Applied regression analysis. Third Edition. J. Wiley and Sons, New York.
- Edwards, W. R. and L. L. Eberhardt. 1967. Estimating cottontail abundance from live-trapping data. *Journal of Wildlife Management* 31:87-96.
- Eberhardt, L. E., L. L. Eberhardt, B. L. Tiller, and L. L. Cadwell. 1996. Growth of an isolated elk population. *Journal of Wildlife Management* 60:369-373.
- Eberhardt, L. L. 1960. Estimation of Vital Characteristics of Michigan Deer Herds. Ph.D. Thesis. Michigan State University. Game Division Report. No. 2282, Michigan Dept. of Conservation, Lansing, MI. 192 pp.
- Eberhardt, L. L. 1968. A preliminary appraisal of line transects. *Journal of Wildlife Management* 32:82-88.
- Eberhardt, L. L. 1969. Population estimates from recapture frequencies. *Journal of Wildlife Management* 33:28-39.
- Eberhardt, L.L. 1970. Correlation, regression and density dependence. *Ecology* 51(2):306-310.
- Eberhardt, L.L. 1972. Some problems in estimating survival from banding data. pp.153-171 in: *Population Ecology of Migratory Birds: A Symposium*. U.S. Department of Interior, Wildlife Research Report 2. 278 pp.
- Eberhardt, L.L. 1977a. "Optimal" management policies for marine mammals. *Wildlife Society Bulletin* 5:162-169.
- Eberhardt, L.L. 1977b. Optimum policies for conservation of large mammals with special reference to marine ecosystems. *Environmental Conservation* 4:205-212.
- Eberhardt, L.L. 1977c. Relationship between two stock-recruitment curves. *Journal of the Fisheries Research Board of Canada*. 34:425-428.
- Eberhardt, L.L. 1978a. Appraising variability in population studies. *Journal of Wildlife Management* 42:207-238.

Eberhardt, L. L. 1978b. Transect methods for population studies. *Journal of Wildlife Management* 42:1-31. 7

Eberhardt, L. L. 1979. Line-transects based on right-angle distances. *Journal of Wildlife Management* 43:768-774.

Eberhardt, L. L. 1981. Population dynamics of the Pribilof fur seals. Pages 197-220 in C. W. Fowler and T. D. Smith, (Eds.) *Dynamics of large mammal populations*. J. Wiley and Sons, N.Y.

Eberhardt, L.L. 1985. Assessing the dynamics of wild populations. *Journal of Wildlife Management* 49:997-1012.

Eberhardt, L.L. 1987. Population projections from simple models. *Journal of Applied Ecology* 24:103-118.

Eberhardt, L.L. 1988. Using age structure data from changing populations. *J. Appl. Ecol.* 25:373-378.

Eberhardt, L.L. 1988. Testing hypotheses about populations. *J. Wildl. Manage.* 52:50-56.

Eberhardt, L. L. 1992. An analysis of procedures for implementing the dynamic response method. *Marine Mammal Science* 8:201-212.

Eberhardt, L. L. 1995. Using the Lotka-Leslie model for sea otters. *Journal of Wildlife Management* 59:222-227.

Eberhardt, L. L. (1995b) Population trend estimates from reproductive and survival data. *Yellowstone grizzly bear investigations for 1994*. (Eds. R. R.

Eberhardt, L. L. 1997. Is wolf predation ratio-dependent? *Canadian Journal of Zoology* 75:1940-1944.

Eberhardt, L. L. 1998. Applying difference equations to wolf predation. *Canadian Journal of Zoology* 76:380-386.

Eberhardt, L.L. 2000. Reply:Predator=prey ratio dependence and regulation of moose populations. *Canadian Journal of Zoology* 78

Eberhardt, L. L. and R. C. Van Etten. 1956. Evaluation of the pellet group count as a deer census method. *J. Wildl. Manage.* 20(1):70-74.

Eberhardt, L. L. and W.H. Rickard, 1963. Pacific Northwest Laboratory Internal Report.

Eberhardt, L.L. and D.B. Siniff. 1977. Population dynamics and marine mammal management policies. *Journal Fisheries Research Board of Canada* 34:183-190.

Eberhardt, L.L., A.K. Majorowicz, and J.A. Wilcox. (1982) Apparent rates of increase for two feral horse herds. *Journal of Wildlife Management* 46:367-374.

Eberhardt, L.L. and M.A. Simmons. 1987. Calibrating population indices by double sampling. *J. Wildl. Manage.* J. Wildl. Manage. 51:665-675.

- Eberhardt, L.L. and K.W. Pitcher. 1992. A further analysis of the Nelchina caribou and wolf data. *Wildl. Soc. Bull.* 20:385-395.
- Eberhardt, L.L. and M.A. Simmons. 1992. Assessing rates of increase from trend data. *J. Wildl. Manage.* 56:603-610.
- Eberhardt, L. L. and T. J. O'Shea. (1995) Integrating manatee life history data and population model development. *Population biology of the Florida manatee*. (eds T.J. O'Shea, B.B. Ackerman and H. F. Percival), Information and Technology Report 1, National Biological Service Tech. Report Series, Ft. Collins, CO
- Eberhardt, L. L. and R. R. Knight. 1996. How many grizzlies in Yellowstone? *Journal of Wildlife Management* 60:416-421.
- Eberhardt, L. L. and R. O. Peterson. (1999) Predicting the wolf-prey equilibrium point. *Canadian Journal of Zoology* 77:494-498.
- Eberhardt, L. L., T. J. Peterle, and R. Schofield. 1963. Problems in a rabbit population study. *Wildlife Monographs* 10:1-51.
- Eberhardt, L.L., D.G. Chapman, and J.R. Gilbert. 1979. A review of marine mammal census methods. *Wildlife Monographs* 63:1-46.
- Eberhardt, L.L., A.K. Majorowicz, and J.A. Wilcox. 1982. Apparent rates of increase for two feral horse herds. *Journal of Wildlife Management* 46:367-374.
- Eberhardt, L. L., B.M. Blanchard, and R.R. Knight. 1994. Population trend of the Yellowstone grizzly bear as estimated from reproductive and survival rates. *Canadian Jour. of Zoology* 72:360-363.
- Eberhardt, L. L., R. A. Garrott, P. J. White, and P. J. Gogan. (1998). Alternative approaches to aerial censusing of elk. *Journal of Wildlife Management* 62:1046-1055.
- Eberhardt, L. L., R. A. Garrott, and B. L. Becker. (1999) Using trend indices for endangered species. *Marine Mammal Science* 15:766-785.
- Emlen, J. T. 1971. Population densities of birds derived from transect counts. *The Auk* 88:323-342.
- Efron, B. and R.J. Tibshirani. 1993. An Introduction to the Bootstrap. Chapman and Hall, New York.
- Ehrlich, P. R. and L. C. Birch. 1967. The "balance of nature" and "population control". *American Naturalist* 101:97-107.
- Fay, F. H., L. L. Eberhardt, B. P. Kelly, J. J. Burns, and L. T. Quackenbush. Status of the Pacific walrus populaion, 1950-1989. *Marine Mammal Science* 13:537-565.
- Finney, D. J. 1978. Statistical Method in Biological Assay. 3rd Edition. Charles Griffin and Co. Ltd., London.

- Fisher, R. A. and E. B. Ford. 1947. The spread of a gene in natural conditions in a colony of the moth, *Panaxia dominula L.* Heridity, London 1:143-174.
- Fowler, C.W. 1981. Density dependence as related to life history strategies. Ecology 62:602-610.
- Fowler, C.W. 1994. Further consideration of nonlinearity in density dependence in large mammals. Reports of the International Whaling Commission 44:385-391.
- Fowler, C. W. and D. B. Siniff. 1992. Determining population status and the use of biological indices in the management of marine mammals. pp 1025-1037 in Wildlife 2001: Populations. D. R. McCullough and R. H. Barrett, Eds. Elsevier Applied Science, London and New York.
- Fredin, R. A. 1984. Levels of maximum net productivity in populations of large terrestrial mammals. Reports International Whaling Commission, Special Issue 6.
- Fryxell, J. M., W. E. Mercer, and R. B. Gellately. 1988. Population dynamics of Newfoundland moose using cohort analysis. Journal of Wildlife Management 52:14-21.
- Fuller, T.K. 1989. Population dynamics of wolves in north-central Minnesota. Wildl. Mono. No. 105, 41pp.
- Gaillard, J-M, M Festa-Blanchet and N. G. Yoccoz. 1998. Population dynamics of large herbivores: variable recruitment with constant adult survival. Trends in Ecology and Evolution: 13:58-63.
- Gaillard, J-M, M Festa-Blanchet, N. G. Yoccoz, A. Loison, and C. Toigo. 2000. Temporal variation in fitness components and population dynamics of large herbivores. Annual Reviews of Ecology and Systematics. 31:3617-393.
- Garrott, R.A. and L. Taylor. 1990. Dynamics of a feral horse population in Montana. J. Wildl. Manage. 54:603-612.
- Garrott, R. A., B.B. Ackerman, J. R. Cary, D. M. Heisey, J. R. Reynolds, III, and J. R. Wilcox. 1994. Trends in counts of Florida manatees at winter aggregation sites. J. Wildl. Manage. 58:642-654.
- Garrott, R. A., B.B. Ackerman, J. R. Cary, D. M. Heisey, J. R. Reynolds, III, and J. R. Wilcox 1995. Assessment of trends in sites of manatee populations at several Florida aggregation sites. pp34-55 in Population Biology of the Florida Manatee, T. J. O'Shea, B. B. Ackerman, and H. F. Percival (Eds.) Information and Technology Report 1, National Biological Service, USDI, Washington, D. C.
- Gasaway, W. C., R. D. Boertje, D. V. Grandgaard, D. G. Kelleyhouse, R. O. Stephenson, and D. G. Larsen. 1992. The role of predation in limiting moose at low densities in Alaska and Yukon and implications for conservation. Wildlife Monographs No. 120.

- Gates, C. E. 1969. Simulation study of estimators for the line transect sampling method. *Biometrics* 25:317-328.
- Gates, C. E., Marshall, W. H. and D. P. Olson. 1968. Line transect method of estimating grouse population densities. *Biometrics* 24:135-145.
- Gerrodette, T. 1987. A power analysis for detecting trends. *Ecology* 68:1364-1372
- Gerrodette, T. 1991. Models for power of detecting trends -- a reply to Link and Hatfield. *Ecology* 72:1889-1892.
- Gilbert, J. R. and M. S. Udevitz. 1997. Adaptation of a stage-projection model for species with multiple year reproductive cycles. *Ecological Modelling* 97:47-57.
- Gilmartin, W. G. and L. L. Eberhardt. 1995. Assessing status of the Hawaiian monk seal population. *Canadian Journal of Zoology* 73:1185-1190.
- Gilmartin, W.G., T.C. Johanos, and L. L. Eberhardt. 1993. Survival rates for the Hawaiian monk seal (*Monachus schauinslandi*) *Marine Mammal Science* 9:407-420.
- Greig-Smith, P. 1964. Quantitative plant ecology. (2nd 2d.) Butterworths: London.
- Grosenbaugh, L. R. 1965. Generalization and reparamaterization of some sigmoid and other nonlinear functions. *Biometrics* 21:708-714.
- Grubb, P. 1974. Population dynamics of the Soay sheep. Pp. 242-272 in Island Survivors, the ecology of the Soay sheep of St. Kilda, P. A. Jewell, C. Milner, and J. M. Boyd, Athalone Press, Univ. of London, U.K.
- Hirston, N. G., F. E. Smith, and L. B. Slobodkin. 1960. Community structure, population control, and competition. *American Naturalist* 94:421-425.
- Haldane, J. B. S. 1955. The calculation of mortality rates from ringing data. *Proceedings Xith International Ornithological Congress Basel* 454-458.
- Hanson, W. C. and L. L. Eberhardt. 1971. A Columbia River goose population, 1950-1970. *Wildlife Monographs* No. 28, 61 pp.
- Harris, R. B. 1986. Reliability of trend lines obtained from variable counts. *Journal of Wildlife Management* 50:165-171.
- Hayne, D. W. 1949. An examination of the strip census method for estimating animal abundance. *Journal of Wildlife Management* 13:145-157.
- Heincke, F. 1913. Investigations on the plaice. General Report. 1. The plaice fishery and protective measures. Preliminary brief summary of the most important points of the report. *Conseil International Exploration de Mer. Rapports et Proces-verbaux*. 16:1-67.
- Heisy, D.M. and T.K. Fuller. 1985. Evaluation of survival and cause-specific mortality rates using telemetry data. *Journal of Wildlife Management* 49:668-674.

- Hemingway, P. 1971. Field trials of the line transect method of sampling large populations of herbivores. In: E. Duffy and A. S. Watts. (Eds.) The Scientific Management of Animal and Plant Communities for Conservation. 405-411. Blackwell, Oxford.
- Hesselton, W. T., C. W. Severinghaus, and J. E. Tanck. 1965. New York Fish and Game Journal 12:17-30s
- Hickey, F. 1960. Death and reproductive rates of sheep in relation to flock culling and selection. N.S. J. Agric. Res. 3:332-344.
- Houston, D.B. 1982. The northern Yellowstone elk herd. Macmillan Publishing Co., New York.
- Hovey, F. W. and B. N. McLellan. 1996. Estimating population growth of grizzly bears from the Flathead River drainage using computer simulations of reproduction and survival rates. Canadian Journal of Zoology 74:1409-1416.
- Ito, Y. 1972. On the methods for determining density-dependence by means of regression. Oecologia 10:347-372.
- Jackson, C. H. N. 1933. On the true density of tsetse flies. Journal of Animal Ecology 2:204-209.
- Jackson, C. H. N. 1937. Some new methods in the study of *Glossina morsitans*. Proceedings Sooological Society of London 1936:811-896.
- Jackson, C. H. N. 1939. The analysis of an animal population. Journal of Animal Ecology 8:238-246.
- Jackson, C. H. N. 1940. The analysis of a tsetse-fly population I. Annals Eugenics London. 10:322-369.
- Jackson, C. H. N. 1948. The analysis of a tsetse-fly population III. Annals Eugenics London. 14:91-108
- Johanos, T.C., B.L. Becker, and T.J. Ragen. 1994. Annual reproductive cycle of the female Hawaiian monk seal (*Monachus schauinslandi*) Marine Mammal Science 10:13-30.
- Jolly, G. M. 1965. Explicit estimates from capture-recapture data with both death and immigration – stochastic model. Biometrika 52:225-247.
- Junge, C. O. A quantitative evaluation of the bias in population estimates based on selective samples. In: North Atlantic Fish Marking Symposium, International Council North Atlantic Fisheries Special Publication NO. 4, pp. 26-28.
- Kaplan, E. L. and P. Meier. 1958. Nonparametric estimation from incomplete observations. Journal of the American Statistical Association. 53:457-481.

- Keith, L. B. 1983. Population dynamics of wolves. Pages 66-77 in L. N. Carbyn, ed. Wolves in Canada and Alaska. Can. Wildl. Serv. Rep. Ser. 45.
- Kenyon, K. W., V. B. Scheffer, and D. G. Chapman. 1954. A population study of the Alaska fur seal herd. Special Scientific Report N. 12, U. S. Department of the Interior, U. S. Fish and Wildlife Service, Washington D. C.````
- Keyfitz, N. 1968. Introduction to the mathematics of population. Addison-Wesley Publishing Co., Reading, Mass.
- Knight, R.R. and L.L. Eberhardt. 1985. Population dynamics of the Yellowstone grizzly bears. Ecology 66:323-334.
- Knight, R. R., B. M. Blanchard, and L. L. Eberhardt. 1995. Appraising status of the Yellowstone grizzly bear population by counting females with cubs-of-the-year. Wildlife Society Bulletin 23:245-248.
- Krebs, C. J. 1964. The lemming cycle at Baker Lake, Northwest Territories, during 1959-62. Arctic Institute of North America. Technical Paper No. 15.
- LeBouef, B. J. and M. L. Bonnell. 1980. Pinnipeds of the California Islands: abundance and distribution. pp. 475-493 in The California Islands (D. M. Power, ED.). Santa Barbara Museum of Natural History, Santa Barbara, California
- LeBouef, B. J. 1981. The elephant seal. pp. 291-301 in Problems in management of locally abundant wild mammals. P. A. Jewell and S. Holt, Editors, Academic Press, New York.
- Lebreton, J., K.P. Burnham, J. Clobert, and D.R. Anderson. 1992. Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. Ecol. Mono. 62:67-118.
- Leopold, A. 1933. Game Management. C. Scribner
- Leslie, P.H. 1945. On the use of matrices in certain population mathematics. Biometrika 33:183-212.
- Leslie, P.H. 1948. Some further notes on the use of matrices in certain population mathematics. Biometrika 33:183-212.
- Leslie, P. H. 1952. The estimation of population parameters from data obtained by means of the capture-recapture method. II: the estimation of total numbers. Biometrika 39:363-388.
- Leslie, P. H. 1958. Statistical Appendix. Journal of Animal Ecology. 27:84-86.
- Leslie, P. H. 1966. The intrinsic rate of increase and the overlap of successive generations in a population of guillemots (*Uria aalge Pont.*). Journal of Animal Ecology 35:291-301.
- Leslie, P. H. and D. H. S. Davis. 1939. An attempt to determine the absolute number of rats on a given area. Journal of Animal Ecology 8:94-113.

Leslie, P.H. and R.M. Ranson 1940. The mortality, fertility and rate of natural increase of the vole (*Microtus agrestis*) as observed in the laboratory. *The Journal of Animal Ecology*, 9:27-52.

Leslie, P. H. and D. Chitty. 1951. The estimation of population parameters from data obtained by means of the capture-recapture method I. The maximum likelihood equations for estimating the death rate. *Biometrika* 38:269-292.

Leslie, P. H., D. Chitty, and H. Chitty. 1953. The estimation of population parameters from data obtained by means of the capture-recapture method. III. An example of the practical applications of the method. *Biometrika* 40:137-169.

Link, W. A. and J. S. Hatfield. 1990. Power calculations and model selection for trend analysis: a comment. *Ecology* 71:1217-1220.

Link, W. A. and B. A. Hoover. 1991. The detection of density-dependence from a series of annual censuses-- a comment. *Ecology* 72:1514-1515.

Link, W. A. and J. R. Sauer. 1997. Estimation of population trajectories from count data. *Biometrics* 53:488-497.

Lorenzen, G. 1990. A unified approach to the calculation of growth rates. *The American Statistician* 44:148-150.

Lotka, A.J. 1907. Relation between birth rates and death rates. *Science, N.S.*, 26: 21-22.

Lotka, A.J. 1925. *Elements of Physical Biology*, Williams and Wilkins, Baltimore MD

Lotka, A.J. 1939. Theorie analytique des associations biologiques. Deuxiem partie: Analyse demographique avec application particuliere a l-espece humaine. *Actualites Scientifiques et industrielles.*, 780. Hemann et Cie. Paris., pp1-149.

Lowe, V. P. W. 1969. Population dynamics of the red deer (*Cervus elaphus* L.) on Rhum. *Journal of Animal Ecology* 38:425-457.

Lucas, H. A. and G. A. F. Seber, 1977. Estimating coverage and particle density using the line-intersect method. *Biometrika* 64:618-622.

Mangel, M. and C. Tier. 1994. Four facts every conservation biologist should know about persistence. *Ecology* 75:607-614.

Manly, B. J. F. and M. J. Parr. 1968. A new method of estimating population size, survivorship and birth rate from capture-recapture data. *Transactions Society Brithish Entomology* 18:81-89.

Matson, P. and A. Berryman (Editors. 1992. Ratio-dependent predator-prey theory. *Ecology* 73:1529-1566.

May, R. M. (Editor) 1981. *Theoretical Ecology*. (Second Edition) Sinauer, Sunderland Mass.

May, R.M., J.R. Beddington, C.W. Clark, S.J. Holt, and R.M. Laws. 1979. Management of multispecies fisheries. *Science* 205:267-277.

McCaffrey, K. R. 1976. Deer trail counts as an index to populations and habitat use. *Journal of Wildlife Management* 40:308-328.

McCullough, D. C., 1981. Population dynamics of the Yellowstone grizzly bear. PP.173-196 in C. W. Fowler and T. D. Smith (Eds) *Dynamics of Large Mammal Populations*, John Wiley and Sons., New York

McCullough, D. C. 1983. Rate of increase of white-tailed deer on the George Reserve: a response. *Journal of Wildlife Management* 47:1248-1250.

McLaren, L. a. 1961. Methods of determining the numbers and availability of ringed seals. *Arctic* 14:162-175.

McRoberts, R. e., L. D. Mech, and R. O. Peterson. 1995. The cumulative effect of consecutive winters' snow depth on moose and deer populations: a defence. *Journal of Animal Ecology* 64:131-135.

Mech, L. D., R. E. McRoberts, R. O. Peterson, and R. E. Page. 1987. Relationship of deer and moose populations to previous winters' snow. *Journal of Animal Ecology* 56:615-627.

Mech, L. D., L. G. Adams, T. J. Meier, J. W. Burch, and B. W. Dale. (1998) *The wolves of Denali*. University of Minnesota Press, Minneapolis, MN

Messier, F. 1991. The significance of limiting and regulating factors on the demography of moose and white-tailed deer. *Journal of Animal Ecology* 60:377-393.

Messier, F. 1994. Ungulate population models with predation: a case study with the North American moose. *Ecology* 75:478-488.

Messier, F. and M. Crete. 1985. Moose-wolf dynamics and the natural regulation of moose populations. *Oecologia* 65:503-512.

Meyer, J. S., C. G. Ingersoll, L. L. McDonald, and M. S. Boyce. 1986. Estimating uncertainty in population growth rates: jackknife vs bootstrap techniques. *Ecology* 67:1156-1166.

Moran, P. A. P. 1951. A mathematical theory of animal trapping. *Biometrika* 38:307-311.

Mizroch, S. A. 1981. Analyses of some biological parameters of the Antarctic fin whale (*Balenoptera physalus*) Rep. Int. Whaling Comm. 31:425-434.

Murdoch, W. W. 1966. "Community structure, population control, and competition"-- a critique. *American Naturalist* 100:219-226.

Murdoch, W. W. 1994. Population regulation in theory and practice. 1994. *Ecology* 75:271-287.

Murray, B.G. and L. Garding. 1984. On the meaning of parameter x in Lotka's discrete equations. *Oikos* 42:323-326.

National Academy of Science. 1974. Report of Committee on the Yellowstone grizzlies, Washington D.C.

Nixon, C. M., W. R. Edwards, and L. L. Eberhardt. 1967. Estimating squirrel abundance from live-trapping data. *Journal of Wildlife Management* 31:96-101.

Norton-Griffiths, M 1975. Counting Animals. African Wildlife Leadership Foundation, Nairobi.

Overton, W. S. and D. E. Davis. 1969. Estimating the numbers of animals in wildlife populations. In: R. H. Giles, Jr. (Ed.) *Wildlife Management Techniques*, 3rd Ed. Pp. 403-455. The Wildlife Society, Washington D. C.

Ozaga, J. J. and L. J. Verme. 1982. Physical and reproductive characteristics of a supplementally-fed white-tailed deer herd. *Journal of Wildlife Management* 46:281-301

Parzen, S. 1972. Stochastic Processes. Holden-Day, Inc. San Francisco.

Patil, G. P. and C. R. Rao. 1978. Weighted distributions and size biased sampling with application to wildlife populations and human families. *Biometrics* 34:179-189.

Paulik, G.J. 1962. Use of the Chapman-Robson survival estimate for single- and multiple-release tagging experiments. *Transactions American Fisheries Society* 91:95-98.

Paulik, G.J. 1963. Estimates of mortality rates from tag recoveries. *Biometrics* 19:28-57.

Pearl, R. 1926. The biology of population growth. A. A. Knopf, New York, N.Y.

Pearson, O. P. 1966. The prey of carnivores during once cycle of mouse abundance. *Journal of Animal Ecology* 35:217-233

Peterson, R. O. 1995. The wolves of Isle Royale: a broken balance. Willow Creek Press, Minocqua, WI.

Peterson, R. O., J. D. Woolington, and T. N. Bailey. (1984) Wolves of the Kenai Peninsula, Alaska. *Wildlife Monographs* No. 88.

Pollard, E., K. H. Lakahani, and P. Rothery. 1987. The detection of density-dependence from a series of annual censuses. *Ecology* 68:2046-2055.

Pollock, K. H. 1978. A family of density estimators for line transect sampling. *Biometrics* 34:475-478.

Pollock, K.H. and D.G. Raveling. 1982. Assumptions of modern band-recovery models, with emphasis on heterogeneous survival rates. *Journal of Wildlife Management* 46:88-98.

- Pollock,KH; Winterstein,SR; Bunck,CM; Curtis,PD (1989): Survival analysis in telemetry studies: the staggered entry design. *Journal of Wildlife Management* 53, 7-15.
- Pollock, K.H., J. D. Nichols, C. Brownie, and J. E. Hines. 1990. Statistical inference for capture-recapture experiments. *Wildl. Mono.* No. 107, 97pp.
- Post, E. and N. C. Stenseth. 1998. Large-scale climatic fluctuations and population dynamics of moose and white-tailed deer. *Journal of Animal Ecology* 67:537-543.
- Quenouille, M. H. 1956. Notes on bias reduction. *Biometrika* 43:353-360
- Reddingiusm J. and P. J. den Boer. 1989. On the stabilization of animal numbers. Problems of testing. 1 Power estimates and estimation errors. *Oecologia* 78:1-8.
- Reddingiusm J. and P. J. den Boer. 1989. On the stabilization of animal numbers. Problems of testing. 2 Confrontation with data from the field. *Oecologia* 79:143-149.
- Reid, V. H., R. M. Hansen, and A. L. Ward. 1966. Counting mounds and earth plugs to census mountain pocket gophers. *Journal of Wildlife Management* 30:327-334.
- Ricker, W. E. 1958. Handbook of computations for biological statistics of fish populations. *Bulletin fisheries Research Board of Canada* 119:1-300.
- Ricker, W.E. 1975. Computation and interpretation of biological statistics of fish populations. *Bulletin Fisheries Research Board of Canada*. 191:382pp.
- Robinette, W. L., Loveless, C. M., and D. A. Jones. 1974. Field tests on strip census methods. *Journal of Wildlife Management* 38:81-96.
- Robson, D. S. and D. G. Chapman. 1961, Catch curves and mortality rates. *Transactions American Fisheries Society* 90:181-189.
- Ryel L. A. 1971. Evaluation of Pellet Group Survey for Estimating Deer Populations in Michigan. PhD Thesis, Michigan State University, East Lansing, Mich.
- Saether, B-E. 1997. Environmental stochasticity and population dynamics of large herbivores: a search for mechanisms. *Trends in Ecology and Evolution*: 12:143-149..
- Samuel, M. D., E. O. Garton, M. W. Schlegel, and R. G. Carson. 1987. Visibility bias during aerial surveys of elk in northcentral Idaho. *Journal of Wildlife Management* 51:622-639.
- Schnabel, Z. E. 1938. The estimation of the total fish population of a lake. *American Mathematical Monthly* 45:348-352,
- Scheffe, H. 1959. *The Analysis of Variance*. John Wiley and Sons.

Schnute, J. T. and L. J. Richards. 1990. A unified approach to the analysis of fish growth, maturity, and survivorship data. Canadian Journal of Fisheries and aquatic science 47:24-40. 17

Schumacher, F. X. and R. W. Eschmeyer 1943. The estimation of fish populations in lakes and ponds. Journal of Tennessee Academy of Science 18:228-249.

Seber, G.A.F. 1962. The multiple-sample single recapture census. Biometrika 49:33-349.

Seber, G.A.F. 1965. A note on the multiple recapture census. Biometrika 52:330-349.

Seber, G.A.F. 1982. The estimation of animal abundance.(Second edition) Macmillan Publishing Co. New York.

Shenk, T. M., G. C. White, and K. P. Burnham. 1998. Sampling variance effects on detecting density dependence from temporal trends in natural populations. Ecology 68:445-463.

Sibly, R. M. and R. H. Smith. 1998. Identifying key factors using λ contribution analysis. Journal of Animal Ecology 67:17-24.

Siler, W. 1979. A competing-risk model for animal mortality. Ecology 60:750-757.

Sinclair, A.R.E. 1977. The African buffalo, a study of resource limitation of populations. Univ. of Chicago Press, Chicago, IL 355 pp.

Siniff, D. B. and R. O. Skoog. 1964. Aerial censusing of caribou using stratified random sampling. Journal of Wildlife Managemnt 88:391-401.

Siniff, D.B. and K. Ralls. 1991. Reproduction, survival and tag loss in California sea otters. Marine Mammal Science 7:211-229.

Skellam, J. G. 1955. The mathematical approach to population dynamics. Pp. 31-45 in: The Numbers of Man and Animals. J. B. Cragg and N. W. Pirie, Eds. Oliver and Boyd, London.

Skellam, J. G. 1958. The mathematical foundations underlying the use of line transects in animal ecology Biometrics 14:385-400.

Skogland, T. 1990. Density dependence in a fluctuating wild reindeer herd; maternal vs. offspring effects. Oecologia 84:442-450.

Slobodkin, L. B., F. E. Smith, and N. G. Hairston. 1967. Regulation in terrestrial ecosystems, and the implied balance of nature. American Naturalist 101:109-124.

Smith, R. H. and S. Gallizioli. 1965. Predicting hunter success by means of a spring call count. Journal of Wildlife Management 29:806-813,

Snedecor, G. W. AND W. G. Cochran. 1967. Statistical Methods (6th Ed.) Iowa State University Press, Ames, Iowa.

- Solomon, M. E. 1949. The natural control of animal populations. *Journal of Animal Ecology* 18:1-35.
- Solow, A. R. 1990. Testing for density dependence: a cautionary note. *Oecologia* 83:47-49.
- Soule, M. E. (Editor). 1987. *Viable Populations for Conservation*. Cambridge Univ. Press, Cambridge MA.
- Spencer, D. L. and C. J. Lensink. 1970. The muskox of Nunivak Island, Alaska. *Journal of Wildlife Management* 34:1-15
- Stewart, B. S., P.K. Yochem, H. R. Huber, R. L. DeLong, R. J. Jameson, W. J. Sydeman, S. G. Allen, and B. J. LeBouef. 1994. History and present status of the northern elephant seal population. pp 29-49 in *Elephant seals: population ecology, behavior and physiology*. B. J. Lebouef and R. M. Laws, Eds. University of California Press, Berkeley, California
- Tait, D.E.N. and F. L. Bunnell. 1980. Estimating rate of increase from ages at death. *J. Wildl. Manage.* 44:296-299.
- Thompson, S. K. 1992. *Sampling*. J. Wiley and Sons, Inc.
- Thompson, S. K. and G. A. F. Seber. 1996. *Adaptive Sampling*. John Wiley and Sons, Inc.
- Tukey, J. W. 1958. Bias and confidence in not quite large samples. *Annals Mathematical Statistics*. 29:614,
- Van Sickie, J., C.A.M. Atwell, and G.C. Craig. 1987. Estimating population growth rate from an age distribution of natural deaths. *J. Wildl. Manage.* 51:941-948.
- Vickery, W. L. and T. D. Nudds. 1984. Detection of density-dependent effects in annual duck censuses. *Ecology* 65:96-104.
- Volterra, V. 1931. *Lecons sur la Theorie Mathematique de la Lutte pour la vie*. Gauthier-Villers, Paris.
- Watt, K. E. F. 1964. Density dependence in population fluctuations. *Canadian Entomologist* 96:1147-1148.
- Watt, K. E. F. 1968. *Ecology and resource management*. McGraw-Hill, New York.
- White, G.C. 1983. Numerical estimation of survival rates from band-recovery and biotelemetry data. *Journal of Wildlife Management* 47:716-728.
- Whitlock, S. C. and L. Eberhardt. 1956. Large-scale dead deer surveys: methods, results and management implications. *Trans. 21st North American wildlife Conference*: 555-566.
- Wynne-Edwards, V. C. 1962. *Animal dispersion in relation to social behavior*. Oliver and Boyd, Edinburgh, Scotland.

- Yapp, W. B. 1956. The theory of line transects. *Bird Study* 3:93-104,
- Zippin, C. 1956. An evaluation of the removal method of estimating animal populations. *Biometrics* 12:163-169.
- Zippin, C. 1958. The removal method of population estimation. *Journal of Wildlife Management* 22:82-90.
- Zhou, Z. and W. Pan. 1997. Analysis of the viability of a giant panda population. *Journal of Applied Ecology* 34:363-374.